



PRODUCT BROCHURE

JTAPETM

#TAPESMART

INNOVATIVE PRODUCTS FOR THE AUTOMOTIVE AFTERMARKET

CUSTOMER ENGAGEMENT

JTAPE is an innovative business, always striving for perfection, producing exceptional products that meet the needs of the industries they serve. Products that are designed to enhance performance and increase productivity – all to quality standards that set the bar in their market.

We produce a wide range of products under the JTAPE brand as well as private label to a global customer base. We are unique in the industry, designing bespoke products and manufacturing processes to meet specific technical requirements.

Our story of success is built upon passion, innovation and performance, understanding end user process, providing efficiency and an outstanding finish. Producing the right product for the job is in the JTAPE DNA, and it comes from an honest approach that engages with our customers. We invest in creating solutions to real problems, by talking to the experts and designing features that will provide real benefits to the user.

The result is an exceptional quality JTAPE range that meet demanding industry requirements: it's being smart – #TAPESMART from JTAPE.



CONTENTS

03	Primeshield / Prime & Paint Foam Masking Tape
04	Advanced Foam Masking Tape / Smooth Edge Foam Masking Tape
05	No Edge Blending Tape / Flexi No Edge Blending Tape
06	Duo Masking Tape / Perforated Trim Masking Tape
07	Paint Control Tape / Wheel Repair Mask
08	Parking Sensor Masking Discs / Wheel Hub Masking Discs
09	Clear Logo Tape / Grey Double Sided Acrylic Tape
10	Non-Slip Surface Protection Film / Cloth Protection Tapes
11	Fine Line Masking Tapes
12	130°C Flat Orange Precision Masking Tape / Polyester Film Tape / Striping Tape / Customising Tape
13	Paper Masking Tapes / Number Plate Pads
14	Fixing Tapes
15	Braided Wire / Aluminium Tape / Seal Wrap / Seam Sealing Tape
16	Masking Film / OEM Replacement Products
17	Product Bundle Kits
18	Contact Us

PRIMESHIELD



Scan this QR code to learn more about this product on our website



Part No.	Size
1015.1535	15mm x 35m
1015.2225	22mm x 25m

DESCRIPTION

Primeshield is the smart solution for masking gaps that require priming. Applied in seconds, it prevents overspray getting inside a vehicle and provides a soft, feathered finish.

FEATURES AND BENEFITS

- ✓ Dramatically reduces process time
- ✓ Seals and protects from overspray
- ✓ Precise fingertip adjustment
- ✓ Easy to apply – self-locating
- ✓ No primer build-up on panel edges
- ✓ Reduces material usage



STEP 1

Apply the tape in the gap smaller side first. Locate the tape in the gap so that it sits in the central groove.



STEP 2

Push Primeshield further into the gap if required, to allow the primer to cover bare metal and filler areas.



STEP 3

Prime the desired areas and remove prior to colour application while the primer is soft.

PRIME & PAINT FOAM MASKING TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1016.3530	35mm x 30m

DESCRIPTION

Prime & Paint Foam Masking Tape is the perfect solution for light priming, colour application and clear coat finish. It supports a three stage spraying process with only one masking application.

FEATURES AND BENEFITS

- ✓ No need to de-mask & re-mask between priming and painting
- ✓ Dramatically reduces process times
- ✓ Can be used on moving parts
- ✓ Seals and protects from overspray
- ✓ Prevents primer/ground coat edges
- ✓ Prevents paint build-up
- ✓ Reduces material usage
- ✓ Paint absorbent

ADVANCED FOAM MASKING TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1011.2050	20mm x 50m

DESCRIPTION

Advanced Foam Masking Tape is designed to mask all apertures to prevent the ingress of paint during spraying, providing a high quality finish while saving time and money.

FEATURES AND BENEFITS

- ✓ For use in all apertures: A, B and C posts
- ✓ One continuous length – No wastage
- ✓ Seamless joining - no restart of process if product length is misjudged
- ✓ Hidden adhesive – no adhesive exposed
- ✓ No hard paint edges – eliminates rework
- ✓ Precise fingertip adjustment – perfect product positioning every time
- ✓ Paint absorbent
- ✓ Simple, effective and easy to use dispensing box




Application:

Apply product to the moving part where possible ensuring that the adhesive is hidden. Leave the adhesive free portion extended from the edge. Close the aperture and adjust the foam into the required position.



For the A-Post application, apply the foam to the back of the wing/fender ensuring the adhesive is hidden. Close the door and adjust the foam into position.



SMOOTH EDGE FOAM MASKING TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1013.1350	13mm x 50m
1013.1935	19mm x 35m

DESCRIPTION

The forerunner to Advanced Foam Masking Tape, Smooth Edge Foam Masking Tape is, in comparison, a more basic foam tape. A simple way to mask your car and protect the interior from overspray.

FEATURES AND BENEFITS

- ✓ Fixes to the door post
- ✓ 2 convenient sizes for standard and commercial vehicles
- ✓ Reduces levels of hard paint edges
- ✓ Paint absorbent

NO EDGE BLENDING TAPE



Scan this QR code to learn more about this product on our website




Part No.	Size
1012.2005	20mm x 5m
1012.2025	20mm x 25m

DESCRIPTION

Non-stretch, No Edge Blending Tape is the smart solution for masking swage lines and panel edges to create a seamless finish from new paintwork to old.

FEATURES AND BENEFITS

- ✓ Seamless blending from old to new paintwork
- ✓ Ideal for body swage lines
- ✓ No hard paint edges
- ✓ Non-stretch
- ✓ One size for every application
- ✓ Paint absorbent
- ✓ Single and multiple roll dispensing box



STEP 1

Remove the liner from the required length of No Edge Blending Tape.



STEP 2

Apply the tape along the swage line.



STEP 3

For best results, remove straight after the last clear coat has been applied, when wet.

FLEXI NO EDGE BLENDING TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1018.1525	15mm x 25m

DESCRIPTION

Flexi No Edge Blending Tape is the innovative and unique solution for masking curved swage lines and curved panel edges. It makes masking around corners a speedy process even on the tightest of turns. Also ideal for masking fuel filler caps.

FEATURES AND BENEFITS

- ✓ Seamless blending from old to new paintwork
- ✓ Ideal for bumper edges, wheel arches, roof panel lines and bridging screen gaskets/rubbers
- ✓ No hard paint edges
- ✓ One size for every application
- ✓ Paint absorbent
- ✓ Multiple roll dispensing box



STEP 1

Remove product starting from the top row in the box.



STEP 2

Choose required contour to blend to and apply directly to vehicle ensuring tape is not stretched.



STEP 3

For best results, remove straight after the last clear coat has been applied, when wet. Stretch the tape when de-masking to ensure clean removal.

DUO MASKING TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1150.7520	75mm x 20m

DESCRIPTION

DUO Masking Tape is highly versatile and can be used to mask a wide variety of applications around the vehicle. Made from high quality materials, there is adhesive on both sides and a rigid edge allows the masking of individual panels.

FEATURES AND BENEFITS

- ✓ For use on roof/cant rails, door rubber seals, bonnet/hood, boot/trunk, wing/fender
- ✓ Saves time
- ✓ Saves materials
- ✓ Simplifies the process
- ✓ Masks areas without leaving hard paint edges
- ✓ Seals and protects vehicle insides from overspray




STEP 1

Remove the liner from the narrow section of tape and stick it to the underside of the roof rail and repeat.



STEP 2

Apply pressure to the tape and then close the door.



STEP 3

Remove the film liner from the wide section of tape, pull down and mask off the rubber seal.

PERFORATED TRIM MASKING TAPE



Scan this QR code to learn more about this product on our website




Part No.	Size
1055.5010	50mm x 10m

DESCRIPTION

Perforated Trim Masking Tape is devised to mask rubber trims and mouldings during spraying. The tape's plastic edge slides behind the rubber trim with the perforations allowing the tape to be torn and easily fixed around curves.

FEATURES AND BENEFITS

- ✓ Perforated for easy tear
- ✓ Linerless
- ✓ Easy lifting tab
- ✓ One size fits all reducing inventory requirements
- ✓ Paint absorbent unlike film alternatives



STEP 1

Tear perforations to desired size and use the plastic edge to slide behind rubber trim.



STEP 2

Pull rubber down with the plastic trim and overlay sections to go round tight corners.



STEP 3

Add pressure to secure.

PAINT CONTROL TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
1190.3884 (3 rolls)	38mm x 28m per roll

DESCRIPTION

Paint Control Tape is a chequered crepe masking tape that gives the paint sprayer the ability to monitor the optimum opacity of paint applied by viewing the paint coverage over the black and white squares.


FEATURES AND BENEFITS

- ✓ Premium printed crepe masking tape
- ✓ Strong adhesion
- ✓ Excellent for poor coverage colours
- ✓ Easy to check spray pattern
- ✓ 38mm wide for ease of use
- ✓ Save on materials, time and improve process
- ✓ Clean removal, no residue



STEP 1

After priming, apply directly to the masking tape already in situ, adjacent to the panel being painted.



STEP 2

Spray vehicle body and paint control tape until black and white squares are no longer visible.



STEP 3

Once you can no longer see the chequered tape you have reached the optimum paint opacity.

WHEEL REPAIR MASK



Scan this QR code to learn more about this product on our website



Part No.	Size
1095.1417	17cm x 17cm

DESCRIPTION

Wheel Repair Mask is the most effective way to mask a tyre when spraying an alloy wheel. It saves considerable time and materials over traditional masking methods and is a SEMA Global Award winner.

FEATURES AND BENEFITS

- ✓ Elastic centre piece
- ✓ Temperature resistant
- ✓ Fits up to 26" diameter
- ✓ Paint absorbent
- ✓ Saves time and material compared to traditional processes
- ✓ Simple and easy to use



STEP 1

Remove the wheel, deflate the tyre and remove from the bead. Clean the rim thoroughly before masking the wheel.



STEP 2

Place the band of the Wheel Repair Mask around the rim ensuring the treated side of the film faces up.



STEP 3

Secure the mask to the back of the wheel making sure it is not overly taut and then paint.

PARKING SENSOR MASKING DISCS



Scan this QR code to learn more about this product on our website



Part No.	Size
4002.6017 (60 discs)	18mm diameter

DESCRIPTION

Parking Sensor Masking Discs are the ideal solution for the protection of parking sensors and rubber seals during the repair process. Our adhesive cover protects the sensor throughout the repair process, preventing damage from sanding, painting and polishing.

FEATURES AND BENEFITS

- ✓ Avoids contamination of sensors
- ✓ Saves time, avoiding tricky masking process or worse, the disassembly of the sensors
- ✓ Lifting tab for easy application and removal
- ✓ Ensure removal while clear coat is wet to avoid bridging
- ✓ Clean removal, no residue



STEP 1

Use the tab to apply to sensor. No additional masking is required.



STEP 2


Ensure removal while clearcoat is wet to avoid bridging.



STEP 3

Use for protection against sanding/polishing.

WHEEL HUB MASKING DISCS



DESCRIPTION

Wheel Hub Masking Discs are manufactured from a choice of two materials. Treated crepe paper tape paired with a pressure sensitive acrylic rubber adhesive provides temperature resistance up to 160°C. Polyester Film Masking Discs provide temperature resistance up to 220°C.

FEATURES AND BENEFITS

- ✓ High temperature resistance
- ✓ 2 materials - crepe paper and polyester film
- ✓ Good performance while coating, baking and treating during the refurbishment of alloy wheels
- ✓ 155mm specifically produced to cover the rear hub of the alloy with ease, preventing it from being covered during the coating process
- ✓ Increases efficiency and decreases the cost of alloy masking

Part No.	Size
4003.155.100	155mm diameter
4003.155.250	155mm diameter
4005.155.100	155mm diameter
4005.155.250	155mm diameter

CLEAR LOGO TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
2210.5030	50mm x 300mm

DESCRIPTION

Clear Logo Tape is designed specifically for re-fixing logos/decals/badges from all types of vehicles. When the tape is applied, the pressure-sensitive adhesive self-cuts, only sticking to the badge.

FEATURES AND BENEFITS

- ✓ For professional re-application of vehicle decals
- ✓ Reduces cost and speeds up the reclaim process
- ✓ 10 sheets per sleeve




STEP 1

Remove badge ensuring you retain as much original foam backing as possible. Peel back release liner to expose adhesive.



STEP 2

Firmly apply badge to logo tape and rub from the reverse side to ensure the transfer of adhesive.



STEP 3

Separate badge from adhesive tape and apply the badge to the clean vehicle panel.

GREY DOUBLE SIDED ACRYLIC TAPE



Scan this QR code to learn more about this product on our website



Part No.	Size
2110.0610	6mm x 10m
2110.0910	9mm x 10m
2110.1210	12mm x 10m
2110.1910	19mm x 10m
2110.2510	25mm x 10m

DESCRIPTION

Grey Double Sided Acrylic Tape is a premium, reinforced acrylic 1.1mm closed-cell foam tape that utilises a high strength performance acrylic adhesive. It is ideal for internal and external fixings.

FEATURES AND BENEFITS

- ✓ Versatile premium mounting tape
- ✓ Double sided, high strength acrylic adhesive
- ✓ Internal and external applications
- ✓ Excellent adhesion to a variety of substrates including plastics and metals
- ✓ Available in a range of widths from 6mm to 25mm

NON-SLIP SURFACE PROTECTION FILM



DESCRIPTION

Non-Slip Surface Protection Film is a quick and efficient protector of surfaces in the mixing room, spray booth floors, stainless steel tabletops and paint mixing areas. It is easy to apply and remove, and saves time when covering large areas.

FEATURES AND BENEFITS

- ✓ Strong and durable non-slip surface
- ✓ Chemical and solvent resistant
- ✓ Easy to apply, cut and clean
- ✓ Available in three sizes

Part No.	Size
2214.6025	600mm x 25m
2214.1225	1200mm x 25m
2214.1250	1200mm x 50m

CLOTH PROTECTION TAPES



DESCRIPTION

Cloth Protection Tapes are twice as strong as standard cloth tapes and can be torn in both directions. They are waterproof, with a high tack adhesive, and after use can be removed easily leaving no adhesive residue.

FEATURES AND BENEFITS

- ✓ Twice as strong as standard cloth tapes with 78 weaves per inch
- ✓ Tears in both directions
- ✓ Waterproof high tack adhesive
- ✓ Sand blast resistant
- ✓ Temperature resistant up to 80°C for one hour


Scan this QR code to learn more about this product on our website



Part No.	Size
2200.5050 (White)	50mm x 50m
2201.5050 (Red)	50mm x 50m
2202.5050 (Silver)	50mm x 50m
2203.5050 (Black)	50mm x 50m
2208.5050 (Blue)	50mm x 50m

FINE LINE MASKING TAPES


GREEN FINE LINE MASKING TAPE



Green Fine Line Masking Tape is perfect for intricate masking on multi-coloured paint jobs. It is very flexible making it easy to curve on flat surfaces and shapes with tight contours. Temperature resistant up to 132°C/270°F.

Part No.	Size
1105.0155	1mm x 55m
1105.01.555	1.5mm x 55m
1105.0255	2mm x 55m
1105.0355	3mm x 55m
1105.0655	6mm x 55m
1105.0955	9mm x 55m
1105.1255	12mm x 55m
1105.1955	19mm x 55m
1105.2555	25mm x 55m


OLIVE FINE LINE MASKING TAPE



Olive Fine Line Masking Tape is a non-stretch fine line tape designed to solve those tricky long coachwork lines. After painting it can be easily removed leaving a sharp clean line with no residue. Temperature resistant up to 138°C/280°F.

Part No.	Size
1109.0155	1mm x 55m
1109.01.555	1.5mm x 55m
1109.0355	3mm x 55m
1109.0655	6mm x 55m
1109.0955	9mm x 55m
1109.1255	12mm x 55m
1109.1955	19mm x 55m
1109.2555	25mm x 55m


BLUE FINE LINE MASKING TAPE



Blue Fine Line Masking Tape is a medium flex tape for creating intricate curves or straight lines. After painting, it can be cleanly removed leaving a defined line with no adhesive residue. Temperature resistant up to 138°C/280°F.

Part No.	Size
1110.01.533	1.5mm x 33m
1110.0333	3mm x 33m
1110.0633	6mm x 33m
1110.0933	9mm x 33m
1110.1233	12mm x 33m
1110.1933	19mm x 33m
1110.2533	25mm x 33m

ORANGE FINE LINE MASKING TAPE



Orange Fine Line Masking Tape is thinner and more translucent than other fine line masking tapes making it ideal for seeing through to the painted surface. It is perfect for straight lines while also being highly flexible. Temperature resistant up to 150°C/302°F.

Part No.	Size
1111.0155	1mm x 55m
1111.01.555	1.5mm x 55m
1111.0255	2mm x 55m
1111.0355	3mm x 55m
1111.0655	6mm x 55m
1111.0955	9mm x 55m
1111.1255	12mm x 55m
1111.1555	15mm x 55m
1111.1955	19mm x 55m
1111.2555	25mm x 55m

PRECISION MASKING , POLYESTER FILM, STRIPING & CUSTOMISING TAPES


130°C FLAT ORANGE PRECISION MASKING TAPE



130°C Flat Orange Precision Masking Tape masks rubbers, plastics, mouldings and trims. The waterproof acrylic adhesive will adhere to surfaces that standard masking tapes will not. Temperature resistant up to 130°C/266°F.

Part No.	Size
1125.01.550	1.5mm x 50m
1125.0250	2mm x 50m
1125.0350	3mm x 50m
1125.0650	6mm x 50m
1125.0950	9mm x 50m
1125.1250	12mm x 50m
1125.1550	15mm x 50m
1125.1850	18mm x 50m
1125.2450	24mm x 50m
1125.3650	36mm x 50m
1125.4850	48mm x 50m

HIGH TEMPERATURE POLYESTER FILM TAPE



High Temperature Polyester Film Tape is a reliable and versatile product for powder coating and painting. It is available in two colours and is used to mask and protect various surfaces during the coating, painting and baking process. Temperature resistant up to 220°C/428°F.

Part No.	Size
4005.1266 Green	12mm x 66m
4005.2566 Green	25mm x 66m
4005.5066 Green	50mm x 66m
4005.7566 Green	75mm x 66m
4006.1266 Blue	12mm x 66m
4006.2566 Blue	25mm x 66m
4006.5066 Blue	50mm x 66m
4006.7566 Blue	75mm x 66m

STRIPING TAPE



Striping Tape has been designed for easily painting long straight lines/ stripes. It has pre-cut lines to give a variety of stripe options and its non-bleed properties give a perfect finish.

Part No.	Size
1118.2514	25mm x 14m

CUSTOMISING TAPE



Customising Tape has been created for striping with extra flexibility in mind, allowing the user to mask the tightest of contours. By stripping out sections, a variety of stripe widths and shapes can be created.

Part No.	Size
1119.1210	12mm x 10m

PAPER MASKING TAPES & NUMBER PLATE PADS

80°C PREMIUM MASKING TAPE



Part No.	Size
1180.1850	18mm x 50m
1180.2450	24mm x 50m
1180.3650	36mm x 50m
1180.4850	48mm x 50m

80°C Premium Masking Tape is a general all-round crepe tape for masking off areas when spraying vehicles. It has a strong adhesion and can easily be removed, leaving no residue. Temperature resistant up to 80°C/176°F.


160°C MASKING TAPE



Part No.	Size
1185.1850	18mm x 50m
1185.2450	24mm x 50m
1185.3650	36mm x 50m
1185.4850	48mm x 50m

160°C Masking Tape is a high strength, high performance, thick, heavy crepe tape. It gives good, instant adhesion, to provide sharp paint lines. It is easy to tear and can be removed cleanly from all surfaces. Temperature resistant up to 160°C/320°F.

120°C BLUE MASKING TAPE



Part No.	Size
1120.1850	18mm x 50m
1120.2450	24mm x 50m
1120.3650	36mm x 50m
1120.4850	48mm x 50m

120°C Blue Masking Tape is a high temperature, coarse crepe paper masking tape with a pressure-sensitive rubber resin adhesive. It provides a clean, well-defined paint line. It is designed for clean removal from a variety of surfaces. Temperature resistant up to 120°C/250°F for 30 minutes.

NUMBER PLATE PADS




Part No.	Size
4000.8525 3	3 per pack
4000.8525 6	6 per pack
4000.8525 1000	1000 per roll

Number Plate Pads are easy to apply and fix a number plate to a vehicle. These black double sided heavy duty pads come in three pack sizes.

FIXING TAPES

DOUBLE SIDED MOUNTING TAPE



Double Sided Mounting Tape has a standard high tack adhesive with excellent ageing and weather-resistant properties, ideal for fixing decals, mouldings, mirror fixings and number plates.

Part No.	Size
2106.0610	6mm x 10m
2106.0910	9mm x 10m
2106.1210	12mm x 10m
2106.1910	19mm x 10m
2106.2510	25mm x 10m
2106.5010	50mm x 10m
2106.5005	50mm x 5m


HIGH STRENGTH ACRYLIC TAPE



High Strength Acrylic Tape is a clear, reinforced acrylic tape with very high tack and maximum strength performance acrylic adhesive, enabling the tape to bond permanently to a very wide range of substrates.

Part No.	Size
2108.0610	6mm x 10m
2108.0910	9mm x 10m
2108.1210	12mm x 10m
2108.1910	19mm x 10m
2108.2510	25mm x 10m

GREY DOUBLE SIDED ACRYLIC TAPE



Grey Double Sided Acrylic Tape is a premium, reinforced acrylic 1.1mm closed-cell foam tape with a high tack. It utilises a high strength performance acrylic adhesive and is ideal for internal and external fixings.

Part No.	Size
2110.0610	6mm x 10m
2110.0910	9mm x 10m
2110.1210	12mm x 10m
2110.1910	19mm x 10m
2110.2510	25mm x 10m

REFIT TAPE



Refit Tape is a permanent carrier-free transfer adhesive with an instant, high strength bond, even on difficult to stick surfaces.

Part No.	Size
2207.1210	12mm x 10m
2207.1210.2	12mm x 10m (2 rolls)
2207.2510	25mm x 10m

BRAIDED WIRE, ALUMINIUM, SEAL WRAP & SEAM SEALING TAPE


COPPER BRAIDED WIRE



Part No.	Size
2211.0422	0.7mm x 22.5m

Copper Braided Wire is designed for windscreen removal. It has been manufactured to the highest quality and specially designed to cut through urethane bonding. It is composed of three super strong copper wires braided together to form one wire.

ALUMINIUM TAPE



Part No.	Size
2107.4805	48mm x 5m
2107.4845	48mm x 45m

Aluminium Tape is an aluminium foil based tape coated with a synthetic rubber adhesive system, with a silicone paper release liner. It has several applications where sensitive surfaces require protection against heat and infrared.


SEAL WRAP



Part No.	Size
1060.0650	60mm x 50m
1060.07550	75mm x 50m
1060.3050	300mm x 50m
1060.6050	600mm x 50m
1060.9050	900mm x 50m

Seal Wrap protects broken windows from the elements and prevents the glass from shattering further until ready for repair. The film is a clear, tough, low tack masking material, for both interior and exterior applications.

SEAM SEALING TAPE



Part No.	Size
2205.0910	9mm x 10m
2205.1210	12mm x 10m

Seam Sealing Tape has a flat profile and is used to replace or repair the seams on automotive door skins and flanges. Once applied, the acrylic adhesive provides a permanent waterproof bond and seal, and it is ready for painting.

MASKING FILM & OEM REPLACEMENT PRODUCTS

PREMIUM CLEAR MASKING FILM



Part No.	Size
1090.4015	4m x 150m
1090.5012	5m x 120m
1090.6010	6m x 100m

Premium Clear Masking Film is an essential product to quickly cover all parts of a vehicle that are not part of the re-spraying process. It is corona treated to hold mist and general paint overspray during the spraying process. 9 microns thick.

BREATHABLE MASKING FILM



Part No.	Size
1080.5012	5m x 120m

Breathable Masking Film is moisture absorbent, allowing body shops to mask damp cars while reducing ghost marking after bake. 17 microns thick.

DOOR SKIN REPLACEMENT FOAM



Part No.	Size
2204.6010	600mm x 10m

Door Skin Replacement Foam is a replacement foam film to easily replace the inner door membrane during repairs. Door Skin Replacement Foam has a grid-pattern printed on the release liner to aid cutting out intricate shapes.

DOOR SKIN REPLACEMENT FILM



Part No.	Size
2206.6050	600mm x 50m

Door Skin Replacement Film is a polyethylene based clear film for making door interiors watertight. Ideal when used with JTape Refit Tape to adhere the film to the interior.

PRODUCT BUNDLE KITS



GRANDE KIT 5100.0037

- 1011.2050 Advanced Foam Masking Tape
- 1012.2025 No Edge Blending Tape Plus
- 1018.1525 Flexi No Edge Blending Tape
- 1055.5010 Perforated Trim Masking Tape
- 1111.0655 Orange Fine Line Tape 6mm x 55m
- 2110.1210 Grey Double Sided Acrylic Tape 12mm x 10m
- 2210.5030 Logo Tape 2 sheets



ESSENTIALS KIT 5100.0041

- 1013.1350 Smooth Edge Foam Masking Tape
- 1055.5010 Perforated Trim Masking Tape
- 1111.0655 Orange Fine Line Tape 6mm x 55m
- 2110.1210 Grey Double Sided Acrylic Tape 12mm x 10m
- 4002.2017 Parking Sensor Masking Discs 1 sheet (20)



BEANIE BUNDLE KIT 5100.0039

- 1012.2025 No Edge Blending Tape Plus
- 1018.1525 Flexi No Edge Blending Tape
- 1055.5010 Perforated Trim Masking Tape
- 2110.1210 Grey Double Sided Acrylic Tape 12mm x 10m
- 4002.2017 20 Parking Sensor Masking Discs 1 Sheet
- JTAPE Beanie Hat



POLO BUNDLE KIT 5100.0010

- 1011.2050 Advanced Foam Masking Tape
- 1012.2025 No Edge Blending Tape Plus
- 1055.5010 Perforated Trim Masking Tape
- 1111.0655 Orange Fine Line Tape 6mm x 55m
- JTAPE Polo Shirt

NEW PRODUCTS

To see more about our latest product innovations, head to our website

www.jtape.com



#TAPESMART

The extensive and growing range of **JTAPE** products is acclaimed for its versatility, ease of use and ability to save time and make paints and materials go further. Our mission is to enable professionals to paint precisely and creatively, delivering superb results.

We help companies to control costs and meet their sustainability targets by minimising energy use and paint consumption.

Through our one-on-one training, demonstrations, video tutorials, marketing support, offers and incentives, **JTAPE** invests heavily in supporting customers to help them reach their full potential, working smarter, saving time and resources, ultimately making our partners more profitable.

CONTACT US

JTAPE LTD T : +44 (0) 1625 618 185
Hulley Road, F : +44 (0) 8701 207 748
Macclesfield,
Cheshire,
SK10 2SF, UK W : www.jtape.com
E : info@jtape.com

#TAPESMART

 @jtapeltd

 @JTAPE

 [jtape_official](https://www.instagram.com/jtape_official)



PRODUCT BROCHURE

JTAPETM

#TAPESMART