

Naked Gun Spray Gun Cleaner/ Naked Gun

Printed: 09/04/2024

Revision: 09/04/2024

Spray Gun Cleaner Double Shot Aerosol ^{supersedes} Revision: 01/28/2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Naked Gun Spray Gun Cleaner/ Naked Gun Spray Gun Cleaner Double Shot Aerosol	
Company Name:	W. M. Barr and Company, Inc. 2105 Channel Avenue Memphis, TN 38113	Phone Number: (901)775-0100
Web site address:	www.wmbarr.com	
Emergency Contact:	3E 24 Hour Emergency Contact	(800)451-8346
Information:	W.M. Barr Customer Service	(800)398-3892
Intended Use:	Spray gun cleaning.	
Product Code:	ENGC0, ENGC20	

2. HAZARDS IDENTIFICATION

Flammable Aerosols, Category 1

Gas Under Pressure, Liquefied gas

Eye Irritation, Category 2

Specific Target Organ Toxicity (single exposure), Category 3 - Central nervous system, Respiratory irritation.
(Oral, Inhalation, Eyes, Skin)

Simple Asphyxiant

**GHS Signal Word:****Danger****GHS Hazard Phrases:**

H222: Extremely flammable aerosol.

H280: Containers gas under pressure; may explode if heated.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

HUS1: May displace oxygen and cause rapid suffocation.

GHS Precautionary Phrases:

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211: Do not spray on an open flame or any other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use.

P261: Avoid breathing gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

P403+233: Store container tightly closed in well-ventilated place.

P405: Store locked up.

P410+403: Protect from sunlight and store in well-ventilated place.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

P501: Dispose of contents/container according to local, state and federal regulations.

**Naked Gun Spray Gun Cleaner/ Naked Gun
Spray Gun Cleaner Double Shot Aerosol**

Printed: 09/04/2024

Revision: 09/04/2024

Supersedes Revision: 01/28/2019

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects

Inhalation Exposure Effects:

(Acute and Chronic):

Vapor harmful. High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches, paralysis, and loss of consciousness and even death). High vapor concentrations are irritating to the eyes, nose, throat, and lungs.

Intentional misuse of this product by deliberately concentrating and inhaling can be harmful or fatal.

Skin Contact Exposure Effects:

Moderately irritating to the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Eye Contact Exposure Effects:

Contact with the eye may cause moderate to severe irritation.

Ingestion Acute Exposure Effects:

Product may be harmful or fatal if swallowed. May produce central nervous system effects, which may include dizziness, loss of balance and coordination, unconsciousness, coma and even death.

Target Organs: Central Nervous System, Respiratory System, Eye, Skin

Primary Routes of Entry: Inhalation, Ingestion

Medical Conditions Generally Aggravated By Exposure: Diseases of the skin, eyes, and lung (asthma-like conditions).

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration	Molecular Formula
67-64-1	Acetone {2-Propanone}	80.0 -100.0 %	C3H6O
124-38-9	Carbon dioxide	3.0 -7.0 %	CO2
123-86-4	Butyl acetate {n-Butyl acetate. Acetic acid, Butyl ester}	1.0 -5.0 %	C6H12O2

Additional Chemical Information

Specific percentage of composition is being withheld as a trade secret.

Naked Gun Spray Gun Cleaner/ Naked Gun

Printed: 09/04/2024

Revision: 09/04/2024

Spray Gun Cleaner Double Shot Aerosol ^{Supersedes} Revision: 01/28/2019

4. FIRST AID MEASURES

Emergency and First Aid Procedures:	<p>Inhalation: If user experiences breathing difficulty, move to air free of vapors, Administer oxygen or artificial medical assistance can be rendered.</p> <p>Skin Contact: Wash with soap and large quantities of water and seek medical attention if irritation from contact persists.</p> <p>Eye Contact: Flush with large quantities of water for at least 15 minutes and seek immediate medical attention.</p> <p>Ingestion: Do not induce vomiting. Call your local poison control center, hospital emergency room or physician immediately for instructions to induce vomiting.</p>
Signs and Symptoms Of Exposure:	Refer to section 2

5. FIRE FIGHTING MEASURES

Flash Point:	0.00 F (-17.8 C) Method Used: Setaflash Closed Cup (Rapid Setaflash)
Explosive Limits:	LEL: N.D. UEL: N.D.
Autoignition Pt:	N.D.
Suitable Extinguishing Media:	Use carbon dioxide, dry powder, water spray, or alcohol resistant foam.
Unsuitable Extinguishing Media:	None known.
Fire Fighting Instructions:	Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.
Flammable Properties and Hazards:	Extremely flammable. Vapors are heavier than air and may travel along the ground or may be moved by ventilation and ignited by an ignition source, such as pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge, or other ignition sources at location distant from the material handling point. Product residue can ignite explosively. Do not weld or cut on empty containers.
Hazardous Combustion Products:	Carbon monoxide and carbon dioxide, other various unburned hydrocarbons.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:	<p>Vapors may cause flash fire or ignite explosively.</p> <p>Clean up: Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Shut off ignition sources; keep flares, smoking or flames out of hazard area. Use non-sparking tools. Use proper bonding and grounding methods for all equipment and processes. Keep out of waterways. Be cautious of vapors collecting in small enclosed spaces, sewers, low lying areas, confined spaces, etc.</p> <p>Small spills: Take up with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable.</p>
---	---

Naked Gun Spray Gun Cleaner/ Naked Gun

Printed: 09/04/2024

Revision: 09/04/2024

Spray Gun Cleaner Double Shot Aerosol

Supersedes Revision: 01/28/2019

Large spills: Dike far ahead of spill for later disposal.

Waste Disposal: Dispose in accordance with applicable local, state and federal regulations.

Keep out of drains, sewers, and bodies of water.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Do not use this product near any source of heat or open flame, furnace areas, pilot lights, stoves, etc.

Do not use in small enclosed spaces, such as basements and bathrooms. Vapors can accumulate and explode if ignited.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
67-64-1	Acetone {2-Propanone}	ACGIH TLV	TLV: 500 ppm STEL: 750 ppm	
		OSHA PELs	PEL: 1000 ppm	
124-38-9	Carbon dioxide	ACGIH TLV	TLV: 5000 ppm STEL: 30,000 ppm	
		OSHA PELs	PEL: 5000 ppm	
123-86-4	Butyl acetate {n-Butyl acetate. Acetic acid, Butyl ester}	ACGIH TLV	TLV: 150 ppm STEL: 200 ppm	
		OSHA PELs	PEL: 150 ppm	

Personal Protective Equipment Symbols:

Respiratory Equipment (Specify Type):

For OSHA controlled work place and other regular users. Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLV.

For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirator for organic solvent vapors. A dust mask does not provide protection against vapors.

Eye Protection:

Safety glasses, goggles or face shields are recommended to safeguard against potential eye contact, irritation, or injury.

Protective Gloves:

Wear gloves with as much resistance to the chemical ingredients as possible. Glove materials such as natural rubber and neoprene may provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional information. Gloves contaminated with product should be discarded and not reused.

Other Protective Clothing:

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

Engineering Controls

Use only with adequate ventilation to prevent build-up of vapors. Open all windows and

Naked Gun Spray Gun Cleaner/ Naked Gun

Printed: 09/04/2024

Revision: 09/04/2024

Spray Gun Cleaner Double Shot Aerosol

Supersedes Revision: 01/28/2019

(Ventilation etc.): doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering - Stop - ventilation is inadequate. Leave area immediately.

Work/Hygienic/Maintenance Practices: Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [X] Gas [] Liquid [] Solid

Appearance and Odor: Clear Colorless
Odor threshold not determined.

pH: NA

Melting Point: N.D.

Boiling Point: 131.00 F (55.0 C)

Flash Point: 0.00 F (-17.8 C) Setaflash Closed Cup (Rapid Setaflash)

Evaporation Rate: > 1

Flammability (solid, gas): Flash point is for liquid contents

Explosive Limits: LEL: N.D. UEL: N.D.

Vapor Pressure: N.D.

Vapor Density (vs. Air=1): > 1

Specific Gravity (Water=1): 0.792

Density: 6.592 LB/GL

Solubility in Water: Miscible

Saturated Vapor Concentration: No data.

Octanol/Water Partition Coefficient: No data.

Percent Volatile: 100.0 % by weight.

VOC / Volume: 2.8500 % WT

Autoignition Pt: N.D.

Decomposition Temperature: N.D.

Viscosity: N.D.

Naked Gun Spray Gun Cleaner/ Naked Gun

Printed: 09/04/2024

Revision: 09/04/2024

Spray Gun Cleaner Double Shot Aerosol

Supersedes Revision: 01/28/2019

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid -	None known
Instability:	
Incompatibility - Materials To Avoid:	Strong oxidizing agents. 2-Propanone may form explosive mixtures with chromic anhydride, chromyl alcohol, hexachloromelamine, hydrogen peroxide, permonosulfuric acid, potassium tertbutoxide, and thioglycol.
Hazardous Decomposition or Byproducts:	Decomposition may produce carbon monoxide, carbon dioxide, and unidentified organic compounds in black smoke.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid -	None known
Hazardous Reactions:	

11. TOXICOLOGICAL INFORMATION

Toxicological Information:	This product has not been tested as a whole. Refer to section 2 for acute and chronic effects. CAS# 67-64-1: Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe. Result: Behavioral: Change in motor activity (specific assay). Behavioral: Alteration of classical conditioning. - American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946
-----------------------------------	--

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-64-1	Acetone {2-Propanone}	n.a.	n.a.	A4	n.a.
124-38-9	Carbon dioxide	n.a.	n.a.	n.a.	n.a.
123-86-4	Butyl acetate {n-Butyl acetate. Acetic acid, Butyl ester}	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information:	No information available for this product as a whole.
--	---

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Dispose of in accordance with all applicable local, state, and federal regulations. Keep out of sewers and bodies of water.
-------------------------------	--

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name:	Aerosols, flammable	
DOT Hazard Class:	2.1	FLAMMABLE GAS
UN/NA Number:	UN1950	



Naked Gun Spray Gun Cleaner/ Naked Gun Spray Gun Cleaner Double Shot Aerosol

Printed: 09/04/2024

Revision: 09/04/2024

Supersedes Revision: 01/28/2019

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Aerosols, flammable
UN Number: UN1950
Hazard Class: 2.1 - FLAMMABLE GAS **TDG Classification:**

Additional Transport Information: The supplier may apply one of the following exceptions: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49CFR Hazmat Regulations. Please consult 49CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-64-1	Acetone {2-Propanone}	No	Yes NA	No
124-38-9	Carbon dioxide	No	No	No
123-86-4	Butyl acetate {n-Butyl acetate. Acetic acid, Butyl ester}	No	Yes NA	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
67-64-1	Acetone {2-Propanone}	TSCA: Inventory
124-38-9	Carbon dioxide	TSCA: Inventory
123-86-4	Butyl acetate {n-Butyl acetate. Acetic acid, Butyl ester}	CWA NPDES TSCA: Inventory

Regulatory Information:

Additional Regulatory Information This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 09/04/2024 **Previous revision:** 01/28/2019
Preparer Name: W.M. Barr Regulatory Department

Additional Information About This Product: N.D. is not determined