

Exceptional fit and feel for extended wear

- Thick design for durable protection
- Fully textured for enhanced grip



Industries

- Food Processing
- Life Sciences
- Healthcare

Recommended For

- Equipment, maintenance and repair
- All food processing, applications that have food contact
- Sample taking and processing
- Extra comfort during long, sustained procedures
- Standard patient examinations



TECHNICAL DATA SHEET

PRODUCT INFORMATION

| | |
|--|--|
| | Diamond Grip Plus[®] DGP-350 |
| Material | Natural Rubber Latex |
| Color | Natural |
| Glove Design | Chlorinated, Powder-Free, Fully Textured |
| Cuff | Beaded |
| Manufacturing/QMS Audit Standards | EN ISO 13485 : 2012 |
| Regulatory/Standards Compliance | ASTM D3578, EN 420:2003 + A1:2009, FDA21 CFR 177-2600, US QSR/FDA 510(k) Medical Examination Grade |
| Packaging | 100 gloves per dispenser 10 dispensers per case 1000 gloves per case |
| Storage | Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition. |
| Country of Origin | Malaysia |
| Available sizes | XS (5.5 - 6), S (6.5 - 7), M (7.5 - 8), L (8.5 - 9), XL (9.5 - 10) |

PHYSICAL PROPERTIES

| | Typical Values | | Testing Method |
|---|----------------|-------------|---------------------|
| | BEFORE AGING | AFTER AGING | |
| Length (mm/inches) | 245 / 9.6 | | ASTM D3767,EN420 |
| Freedom from Holes (Inspection level I) | 1.5 AQL | | ASTM D5151,EN 455-1 |
| Palm Thickness (mm/mils) | 0.13 / 5.1 | | ASTM D3767,EN420 |
| Finger Thickness (mm/mils) | 0.16 / 6.3 | | ASTM D3767,EN420 |
| Ultimate Tensile Strength (MPa) | 22 | 20 | ASTM D412 & D573 |
| Elongation at Break (%) | ≥ 700 | ≥ 600 | ASTM D412 |
| Force at break (N) | 9 | 9 | EN 455-2 |

TECHNICAL DATA SHEET

ORDERING INFORMATION

| Size | L (8.5 - 9) | M (7.5 - 8) | S (6.5 - 7) | XL (9.5 - 10) | XS (5.5 - 6) |
|----------------------------|-------------|-------------|-------------|---------------|--------------|
| Ansell Product Code | DGP-350-L | DGP-350-M | DGP-350-S | DGP-350-XL | DGP-350-XS |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
63000 Cyberjaya
Selangor, Malaysia
T: +603 8310 6688
F: +603 8310 6699

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Australia

Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Russia

Ahcenn PYC
123610 Poccnr, Mockba
Kpachonpechehckar
Ha6. 12, n.3, op. 1304A
Ten. +7 495 258 13 16

Ansell, [®] and [™] are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.